

CDC, UK Gov. & Oxford University confirm COVID Vaccination DOES NOT WORK & has potentially Lethal & Fatal Consequences

expose-news.com/2023/01/09/cdc-ukgov-oxford-uni-covid-vaccine-kills

By The Exposé

January 9, 2023



Several scientific studies have emerged that call into question the safety and effectiveness of Covid-19 vaccines, raising alarm bells about the potential harm they may cause and their ability to prevent infection and transmission.

The findings of these studies are disturbing and suggest that vaccinated individuals may be at higher risk of contracting and spreading the alleged Covid-19 virus.

They also suggest that the “vaccines” may increase susceptibility to infection.

These revelations have serious implications for the still ongoing vaccination efforts and call into question the wisdom of ever mandating the public to take these experimental injections.

Because the evidence is now clear.

According to three individual studies published by the US Centers for Disease Control, the UK Government, and Oxford University, Covid-19 vaccines are harmful and ineffective.



Let's not lose touch... Your Government and Big Tech are actively trying to censor the information reported by The Exposé to serve their own needs. Subscribe now to make sure you receive the latest uncensored news in your inbox...

CDC Study.

A shocking CDC study reveals that vaccinated individuals are more likely to contract and spread Covid-19 than unvaccinated individuals.

Out of 469 cases studied among Massachusetts residents who attended public gatherings, a staggering 346 were among vaccinated individuals, with 74% of them experiencing Covid-19 symptoms and 1.2% being hospitalized.

In contrast, the remaining 123 cases were among the unvaccinated population, with only 1 person being hospitalized (0.8%), and no deaths occurring in either group.

The study also found that viral loads were very similar among the vaccinated and unvaccinated, indicating that both groups were equally infectious.

Summary

What is already known about this topic?

Variants of SARS-CoV-2 continue to emerge. The B.1.617.2 (Delta) variant is highly transmissible.

What is added by this report?

In July 2021, following multiple large public events in a Barnstable County, Massachusetts, town, 469 COVID-19 cases were identified among Massachusetts residents who had traveled to the town during July 3–17; 346 (74%) occurred in fully vaccinated persons. Testing identified the Delta variant in 90% of specimens from 133 patients. Cycle threshold values were similar among specimens from patients who were fully vaccinated and those who were not.

What are the implications for public health practice?

Jurisdictions might consider expanded prevention strategies, including universal masking in indoor public settings, particularly for large public gatherings that include travelers from many areas with differing levels of SARS-CoV-2 transmission.

Oxford University Study

An alarming study from Oxford University reveals that a Covid-19 vaccine can actually increase the likelihood of contracting and spreading the virus.

The study followed 900 hospital staff members in Vietnam who received the Oxford/AstraZeneca vaccine in March and April 2021.

Despite all staff members testing negative for Covid-19 in May, the first case among the vaccinated group was detected on June 11th.

Upon retesting, 52 additional cases were immediately identified and the hospital was forced into lockdown.

Over the following two weeks, an additional 16 cases were discovered.

The study found that 76% of the Covid-19 positive staff developed respiratory symptoms, with 3 staff members developing pneumonia and one requiring oxygen therapy.

Shockingly, the peak viral loads among the infected, vaccinated group were found to be **251 times higher** than those of the unvaccinated staff in March-April 2020.

Findings: Between 11th–25th June 2021 (week 7–8 after dose 2), 69 healthcare workers were tested positive for SARS-CoV-2. 62 participated in the clinical study. 49 were (pre)symptomatic with one requiring oxygen supplementation. All recovered uneventfully. 23 complete-genome sequences were obtained. They all belonged to the Delta variant, and were phylogenetically distinct from the contemporary Delta variant sequences obtained from community transmission cases, suggestive of ongoing transmission between the workers. Viral loads of breakthrough Delta variant infection cases were 251 times higher than those of cases infected with old strains detected between March-April 2020. Time from diagnosis to PCR negative was 8–33 days (median: 21). Neutralizing antibody levels after vaccination and at diagnosis of the cases were lower than those in the matched uninfected controls. There was no correlation between vaccine-induced neutralizing

UK Department of Health & Social Care Study.

A study from the UK Department of Health & Social Care reveals that Covid-19 vaccines are potentially harmful and ineffective at preventing infection and transmission.

Table 1

[View inline](#) | [View popup](#)

Vaccine effectiveness (95% CI) (A) and comparisons between vaccines and with previous infection (B) in those aged 18 years and older in Alpha-dominant and Delta-dominant periods

In the Delta-dominant period, amongst those ≥ 18 years there was evidence of reduced effectiveness ≥ 21 days after the first ChAdOx1 vaccination (VE 46% (95% CI 35-55%), heterogeneity $p=0.004$), but not ≥ 14 days after the second (67%, 62-71% vs 79%, 56-90% in the Alpha-dominant period, heterogeneity $p=0.23$). There was no evidence

The study analyzed ongoing population-wide SARS-CoV-2 monitoring in the UK and found that viral loads among the vaccinated and unvaccinated populations were virtually the same and much higher than previously recorded.

The study also found that the majority of cases among the vaccinated population were presenting with symptoms when they tested positive.

Despite this, the authors of the study maintain that the Pfizer and Oxford/AstraZeneca vaccines are 67%-80% effective at preventing infection with the Delta variant of Covid-19.

However, 82% of the positive PCR tests in the study were fully vaccinated individuals.

This means the authors of the study are essentially lying, and the vaccines are not decreasing susceptibility to infection but are instead increasing it dramatically.

Conclusion

The evidence presented in these studies is disturbing and raises serious concerns about the safety and effectiveness of Covid-19 vaccines.

Not only are vaccinated individuals at higher risk of contracting and spreading the virus, but the vaccines may also be increasing susceptibility to infection.

It is clear that mandating the public to take these vaccines is a harmful and irresponsible act, and those who do so should be made liable for the long-lasting harm they cause.

Subscribe now to make sure you receive the latest uncensored news in your inbox...

WE URGENTLY NEED YOUR HELP...

We're not funded by the Government to publish lies & propaganda on their behalf like the mainstream media.

Instead, we rely solely on our support. So please support us in our efforts to bring you honest, reliable, investigative journalism today. It's secure, quick and easy...

Just choose your preferred method to show your support below support


**ONE TIME
DONATION**

**MONTHLY
SUBSCRIPTION**

**BUY US
A COFFEE**

**DIRECT BANK
TRANSFER DONATION**

**DONATE
CRYPTO**

 [Follow Daily Expose on Telegram](#)

Follow us on gab

**FOLLOW US ON
GETTR**




[Subscribe to our
Newsletter](#)

[‘State of Control’: The control society is increasingly becoming a reality.](#)

[The World is Far More Corrupt than You Feared](#)

[Jewish doctors and scientists to Rishi Sunak: “We request you withdraw accusations of anti-Semitism levelled at Andrew Bridgen”](#)

[Evidence suggesting an iatrogenic death spike in England in the spring of 2020 is mounting up](#)

 [Follow Daily Expose on Telegram](#)